

TAPE AND REEL INFORMATION



QUADRANT ASSIGNMENTS FOR PIN 1 ORIENTATION IN TAPE



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
TPS37041BPLEDFFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37042A3OFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37042ZJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043A4OFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043A5OFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043A8OFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043BJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043CJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043CPOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3

Device	Package Type	Package Drawing	Pins	SPQ	Reel Diameter (mm)	Reel Width W1 (mm)	A0 (mm)	B0 (mm)	K0 (mm)	P1 (mm)	W (mm)	Pin1 Quadrant
TPS37043LJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043MJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37043ZJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37044A4OGDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37044BJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37044CJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3
TPS37044MJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	180.0	8.4	3.2	3.2	1.4	4.0	8.0	Q3

TAPE AND REEL BOX DIMENSIONS



*All dimensions are nominal

Device	Package Type	Package Drawing	Pins	SPQ	Length (mm)	Width (mm)	Height (mm)
TPS37041BPLEDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37042A3OFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37042ZJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043A4OFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043A5OFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043A8OFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043BJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043CJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043CPOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043LJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043MJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37043ZJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37044A4OGDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37044BJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37044CJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0
TPS37044MJOFDDFRQ1	SOT-23-THIN	DDF	8	3000	210.0	185.0	35.0