

Functional Safety Information
TCAN1164-Q1
Functional Safety Report



Table of Contents

1 Purpose of the Functional Safety Report..... 2
2 Summary of Assessment..... 3
3 Product Description..... 4
4 Fulfillment of Texas Instruments Functional Safety Quality-Managed Requirements..... 5

List of Figures

Figure 3-1. Functional Block Diagram (TCAN1164-Q1 and TCAN1164T-Q1)..... 4

List of Tables

Table 1-1. Devices Differences..... 2
Table 4-1. Details of Functional Safety Quality-Managed Documents..... 5

Trademarks

All trademarks are the property of their respective owners.

1 Purpose of the Functional Safety Report

The purpose of the Functional Safety Report is to summarize the results from analysis and documentation involved in the development of this project and to determine the results are sufficient to claim compliance to the identified functional safety standard(s). This high level overview is intended to be used by customers as a part of their safety case with respect to the TCAN1164-Q1.

Note

In this document, the TCAN1164-Q1 refers to both the TCAN1164-Q1 and the TCAN1164T-Q1. The difference between these devices is listed in [Table 1-1](#).

Table 1-1. Devices Differences

Device	Maximum Speed	VeLIO ⁽¹⁾
TCAN1164-Q1	8 Mbps	No
TCAN1164T-Q1	5 Mbps	Yes

2 Summary of Assessment

The TCAN1164-Q1 was developed using Texas Instruments Incorporated Quality Managed product development process and qualified according to AEC Q100 Grade 1. This assessment of the functional safety documentation for these products indicate they meet the minimum requirements for enabling additional system level analysis.

These products did not follow any functional safety development process and do not claim compliance to any functional safety standard.

The work products developed may be helpful for the customer to integrate these products into the functional safety systems. TI recommends the customer integrate this product through "evaluation of hardware elements" as described in ISO 26262-8 Clause 13 or similar method.

The TCAN1164-Q1 passes the assessment.

4 Fulfillment of Texas Instruments Functional Safety Quality-Managed Requirements

Texas Instruments carried out this assessment with respect to relevant requirements for the Functional Safety Quality-Managed Requirements.

Table 4-1. Details of Functional Safety Quality-Managed Documents

Lifecycle Phase	Document Name	Version Number	Assessment Results	Evidence
None	Functional Safety Manual	1	Pass	TI.com
	Functional Safety Analysis (Quantitative FMEDA)	1	Pass	Document Available on MySecure
	Functional Safety Analysis Report	1	Pass	TI.com

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATA SHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to [TI's Terms of Sale](#) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

TI objects to and rejects any additional or different terms you may have proposed.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2022, Texas Instruments Incorporated